

P 161315Z DEC 05
FM DIRJOAP TSC PENSACOLA FL
TO NAVOAPROGMGR PENSACOLA FL
CDR LOGSA
OC-ALC
AIG 165
AIG 350
AIMD BAHRAIN
AIMD WHIDBEY ISLAND WA
CG 3RD MAW
CG 2ND MAW
CG 4TH MAW
CG 1ST MAW
CNATRA CORPUS CHRISTI TX
COGARD ENGLOGCEN BALTIMORE MD
COMFAIRWESTPAC ATSUGI JA
COMMARFORPAC
COMNAVAIRSYS COM PATUXENT RIVER MD
COMNAVAIRFOR SAN DIEGO CA
COMNAVSURFLANT NORFOLK VA
COMNAVSURFPAC SAN DIEGO CA
COMVAQWINGPAC WHIDBEY ISLAND WA
ELU 1
HMX 1 QUANTICO VA
HQ USAF WASHINGTON DC
MALS 12
MALS 13
MALS 14
MCAS IWAKUNI JA
MCAS YUMA AZ
MIDLANTREGCALCEN NORFOLK VA
NAF ATSUGI JA
NAS SIGONELLA IT
NAS OCEANA VA
NAS WHIDBEY ISLAND WA
NAS FALLON NV
NAS KEY WEST FL
NAVAIRDEPOT CHERRY PT NC
NAVAIRDEPOT JACKSONVILLE FL
NAVSHIPYD AND IMF PEARL HARBOR HI
NAVTESTWINGLANT PATUXENT RIVER MD
SERMC MAYPORT FL
SWRMC SAN DIEGO CA
USS ABRAHAM LINCOLN
USS BATAAN
USS BONHOMME RICHARD

USS BOXER
 USS CARL VINSON
 USS DWIGHT D EISENHOWER
 USS ENTERPRISE
 USS ESSEX
 USS GEORGE WASHINGTON
 USS HARRY S TRUMAN
 USS IWO JIMA
 USS JOHN C STENNIS
 USS JOHN F KENNEDY
 USS KEARSARGE
 USS KITTY HAWK
 USS NASSAU
 USS NIMITZ
 USS PELELIU
 USS RONALD REAGAN
 USS SAIPAN
 USS TARAWA
 USS THEODORE ROOSEVELT
 USS WASP
 VAQ 129
 CC CNO WASHINGTON DC
 NAVAVNMAINTOFF CKA ORANGE PARK FL
 SUBJ/INTERIM RAPID ACTION CHANGE (IRAC) 2 TO NA 17-15-50.4, T.O. 33-1-37-4, TM 38-301-4 DATED 1 JUN 05//
 REF/A/E-MAIL DTD 27 JUN 05 AND E-MAIL DTD 13 DEC 05 FROM PAUL MILLER TO JOAP-TSC.
 NARR/-//
 POC/RESPONSIBLE CODE/MICHAEL CASSADY/JOAP MANUALS COORDINATOR/LOC: PENSACOLA NAS FL//00//
 /EMAIL:MCASSADY@JOAPTSC.NAVY.MIL/DSN: 922-5627/TEL: 850-452-5627//
 RMKS/
 1. THIS INTERIM RAPID ACTION CHANGE IS AN OFFICIAL CHANGE TO ALL HOLDERS OF NA 17-15-50.4, T.O. 33-1-37-4, TM 38-301-4. US ARMY AND US AIR FORCE OIL ANALYSIS PROGRAM MANAGEMENT ADDRESSEES ARE RESPONSIBLE FOR PROMULGATION OF THIS CHANGE TO APPLICABLE SERVICE ACTIVITIES.
 2. PURPOSES OF CHANGES: UPDATE THE JOAP MANUAL TO MATCH NSTM 262 REV 6 GUIDE REQUIREMENTS FOR PHYSICAL PROPERTY TESTS ON US NAVY SHIPS EQUIPMENT.
 3. DETAILED INFORMATION:
 A. PEN AND INK CHANGES TO THE TECHNICAL CONTENT OF A MANUAL ARE NOT AUTHORIZED. THE FOLLOWING TECHNICAL CONTENT CHANGE INFORMATION APPLIES TO THE FOLLOWING

REFERENCED PAGES AND PARAGRAPHS OF THE SUBJECT MANUAL UNTIL A FORMAL CHANGE IS RELEASED.

- B. ON PAGE C-1 FOR LUBE OIL MIL-L-17331, UNDER TEST, CHANGE WATER (BY CRACKLE) TO WATER. UNDER LIMITS, CHANGE CRACKLE – FAIL TO 0.10 PERCENT. UNDER LIMITS FOR NEUTRALIZATION NUMBER, CHANGE 0.4 MAX TO 0.5 MAX.
- C. ON PAGE C-2 UNDER GAS TURBINE LUBE OIL, MIL-L-23699, UNDER LIMITS, FOR NEUTRALIZATION NUMBER, CHANGE 1.0 MAX TO 1.5 MAX.
- D. ON PAGE C-4, UNDER HYDRAULIC FLUID, MIL-H-19457, UNDER TEST, DELETE FLASH POINT. ALSO UNDER TEST, CHANGE PARTICLE COUNT OF NAS CLASS 9 TO PARTICLE COUNT NAS 12. UNDER LIMITS, DELETE 475 DEGREES F MIN. ALSO UNDER LIMITS CHANGE ALL SIZE AND MAX READINGS AS FOLLOWS:

SIZE	MAX
5-15 MICRONS	1,024,000 PER 100 ML
15-25 MICRONS	182,400 PER 100 ML
25-50 MICRONS	32,400 PER 100 ML
50-100 MICRONS	5,760 PER 100 ML
100+ MICRONS	1,024 PER 100 ML

- 4. VALIDATION: THESE CHANGES WERE VALIDATED BY MR. MICHAEL CASSADY, JOAP TSC, PENSACOLA, FL, CODE 00 AND MR. PAUL MILLER, SOUTHWEST REGIONAL MAINTENANCE CENTER, SAN DIEGO, CA, CODE 222.
- 5. RELATED INSTRUCTIONS:
 - A. FOR PAPER COPY: MAINTAIN THIS IRAC WITH THE APPLICABLE MANUAL BY PLACING OR ATTACHING IT DIRECTLY BEHIND THE TITLE PAGE. MARK THE SPECIFIC CHANGE AREA IN THE MARGIN OF EACH PAGE AFFECTED WITH A VERTICAL LINE, AND INCLUDE THE IRAC NUMBER AND DATE TIME GROUP (DTG) OF THE MESSAGE. THIS IRAC SHALL NOT BE REMOVED UNTIL RECEIPT OF THE FORMAL CHANGE PAGES.
 - B. FOR IRACS AFFECTING MANUALS ON CD ROM: AFFIX AN ADHESIVE LABEL TO THE CD ROM CASE, ANNOTATE WITH THE APPLICABLE PUBLICATION NUMBER, IRAC NUMBER, AND DTG OF THE IRAC MESSAGE. THE LABEL SHOULD BE POSITIONED TO ALLOW ADDITIONAL UPDATES AS THEY OCCUR. MAINTAIN THE IRAC ON FILE UNTIL RECEIPT OF THE SUPERSEDING CD ROM.

C. SUBJECT IRAC SHALL BE INCORPORATED INTO THE APPLICABLE
MANUAL NO LATER THAN 12 MONTHS AFTER ISSUE DATE BY THE
JOAP TSC, PENSACOLA, FL, CODE 00//